

CY-B300

Multi-function ICU Electric Bed with Weight Scale











Feature:

- Streamline PE polyurethane head &foot board, Easily operated by high definition 10.2" LCD, show for all lifting angle and weight data.
- 2)With "reset" button to make the bed back to "Zero" position from any position quickly. Lock button with indicator light to show work state
- Four sections of integrated stamping bed plate is treated with electrostatic spraying, Anti-aging and anti-rust connected with arc ABS plastic soft joint.
- 4)4pcs 24V DC electro-motor with battery, 1pc control box, One set of handset, Central locking castors.
- 5)Insert touching switch in the 2pcs side rail at the head side, for patient adjust bed position easily, A10.2" touching screen at the foot board, display all the bed position figures, with patient lock-out system, for nursing person's operation
- 6) Bed position data can be stored and callout.
- Function of weight scale, weight data can be stored and managed, off-bed alarming
- 8)IV pole, 4 corners of the bed frame.

Function:

- 1) Size: 2330x1050x530/710mm
- 2) Angle of back section: 0 ~ 80° (±5°)
- 3) Angle of leg section: 0 ~ 40° (±5°)
- 4) Adjustable height: 530-710mm
- 5)Angle of fore-and-aft section: 0 ~ 11°
- 6) Weight Scale with accurate measurement system

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet







Feature:

- With easily operated touching switch, solve the problem of limited service life of machanical keypad and keypad invalid due to constantly operating
- Cold steel plate wholly molded surface and treated with electrostatic spraying, anti-aging and anti-rust connected with ABS soft joint.
- With "reset" button to make the bed back to "Zero" position from any position quickly.
- 4) 4pcs 24V DC electro-motor with battery, 1pc control box, One set of handset, Central locking castors.
- Insert touching switch in the 2pcs PP siderail at the head side, so patient adjust bed position easily.
- Insert touching switch system at the foot board, with Patient Lock-Out system for nurse operation

Function:

- 1) Size:L2200 × W1050 × H510/710mm
- 2) Angle of back section: 0 ~ 80° (±5°)
- 3) Angle of leg section: $0 \sim 40^{\circ} (\pm 5^{\circ})$
- 4) Adjustable height: 510-710mm
- 5)Angle of Trendelenburg and reserve Trendelenburg: $0 \sim 13^{\circ} (\pm 2^{\circ})$

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Five Funtion Electric Bed











- 1) Cold steel plate wholly molded surface, connected with arc soft join.
- 2) Streamline headboard and banister of PE.
- 3) 4pcs electro-motor, 1pc control box. 1pc handset
- 4) Automatic lifting railing, safe and reliable, and can be fixed upward and downward
- 5) Four wheels adopt central control system, which is stable and reliable, 1pc IV pole

- 1) Size:L2120×W900×H450/740mm
- 2) Angle of back section: 0 80" (±5")
- 3) Angle of leg section: 0 40" (±5")
- 4) Angle of Trendelenburg and reserve Trendelenburg: 0 - 13" (±2")
- 5) Adjustable height: 450-740mm

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Five Function Electric Hospital Bed











- 1)ABS head&foot board, 6 bars aluminum siderail, detachable and easy to clean
- 2)Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 3) 4pcs 24V DC electro-motor, 1pc control box, One set of handset
- 4) 4pcs luxury noiseless castor(2pcs with brake, 2pcs without brake). 1pc IV pole
- 5) Max Loading: 280 Kg

Dimension:

- 1) Size:L2120×W970×H450/740mm
- 2) Angle of back section: 0 80° (±5°)
- 3) Angle of leg section: 0 ~ 40" (±5") 4) Adjustable height: 450-740mm
- 5)Angle of Trendelenburg and reserve Trendelenburg: 0 - 13° (±2°)

Accessories:

- 1) I.V.pole
- 2) Wheels
- 3) Aluminum alloy protective railing



Five Function Electric Hospital Bed









Feature:

- 1) Cold steel plate wholly molded surface.
- 2) Streamline headboard and banister of PE.
- 3) 4pcs electro-motor, 1pc control box, 1pc handset
- 4) Automatic lifting railing, safe and reliable. and can be fixed upward and downward
- 5) 4pcs luxury noiseless castor(2pcs with brake, 2pcs without brake), 1pc IV pole

Function:

- 1) Size:L2120×W900×H450/740mm
- 2) Angle of back section: 0 ~ 80° (±5°)
- 3) Angle of leg section: 0 40" (±5")
- 4) Angle of Trendelenburg and reserve Trendelenburg: $0 - 13^{\circ} (\pm 2^{\circ})$
- 5) Adjustable height: 450-740mm

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Five Funtion Electric Bed













Feature:

- 1) Detachable PP head&foot board, PP side rail move with bedbase simultaneously.
- 2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 3) Insert touching switch in the 2pcs PP siderail at the head side, so patient adjust bed position easily
- 4) 4pcs 24V DC electro-motor, 1pc control box, One set of handset , 1pc IV pole
- 5) Insert touching switch system at the foot board, with nurse controller
- 6) Max Loading: 280 Kg

Dimension:

- 1) Size:L2120 × W970 × H450/700mm
- 2) Angle of back section: 0 80' (±5")
- 3) Angle of leg section: 0 40° (±5°) 4) Adjustable height: 450-700mm
- 5)Angle of Trendelenburg and reserve Trendelenburg: 0 - 13° (±2°)

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet





Five Function Electric Seating Bed









Feature:

- 1) ABS headboard&foot board, 6pcs bars aluminum guiderail.
- 2)4pcs 24V DC electro-motor, 1pc control box.1pc handset
- 3)4pcs urine hooks, 1pc IV pole, 4pcs luxury castor(2pcs with brake, 2pcs without brake)
- 4)bed is special design for old patient caring ,electric control it like Chair

- 1) Size: L2120×W970×H500/780mm
- 2) Angle of back section: 0 ~ 80° (±5°)
- 3) Angle of leg section: 0 ~ 40° (±5°) 4) Adjustable height: 500-780mm

Optional Configuration:

- 1) Mattress 2) Mobile food table
- 3) Bedside cabinet



Five-Function Electric Bed with X-ray













1) Streamline PE polyurethane head and foot board .

- 4pcs PP siderail, detachable and easy to clean 2) Four sections of integrated stamping bed plate is treated with electrostatic spraying. Anti-aging and anti-rust, connected with arc ABS plastic soft joint.
- 3) Four castors, with Central brake systems, 1pc IV pole
- 4) 4pcs of PE bed rails, easy lift and laid down
- 5)4pcs electro-motor with battery up, 1pc control box, 1pc handset
- 6) the back board made of acrylic material, can take the X-ray photograph by not moving the patient, convenient and swift

Dimension:

Feature:

- 1) Size: 2210x900x450/740mm
- 2) Angle of back section: 0 ~ 80° (±5°)
- 3) Angle of leg section: 0 ~ 40° (±5°)
- 4) Adjustable height: 450-740mm
- 5)Angle of fore-and-aft section: 0 ~ 11"

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet





Luxury Three Funtion Electric Bed







Feature:

- 1) Cold steel plate wholly molded surface.
- 2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 3) ABS head&foot borad .4pcs PP siderall, detachable and easy to clean
- 4) 3pcs 24V DC electro-motor, 1pc control box, One set of handset
- 5)4pcs Luxury noiseless castors.1pc IV pole

Dimension:

- 1) Size:L2120×W970×H450/740mm 2) Angle of back section: 0 ~ 80° (±5°)
- 3) Angle of leg section: 0 40° (±5°)
- 4) Adjustable height: 450-740mm

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Three Funtion Electric Bed







Feature:

- 1) Cold steel plate wholly molded surface.
- 2) Integrated stamping frame and treated
- with electrostatic spraying, anti-aging and anti-rust 3) ABS head&foot board, 6 aluminum bars guardrail,
- detachable and easy to clean 4) 3pcs 24V DC electro-motor, 1pc control box,
- One set of handset 5)4pcs Luxury castors(2pcs with brake, 2pcs without brake), 1pc IV pole 6) Max Loading: 280 Kg

Dimension:

- 1) Size:L2120×W970×H450/700mm
- 2) Angle of back section: 0 ~ 80° (±5°)
- 3) Angle of leg section: 0 40° (±5°) 4) Adjustable height: 450-700mm

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet





Supper Low Three Function Electric Bed







Feature:

- 1)ABS head and foot board,6 Aluminum alloy guardrail.
- detachable and easy to clean

 2)Four sections of Integrated stamping bed plate is treated with electrostatic spraying, anti-aging and anti-rust.
- 3) Four luxury castors (two with brake, two without brake), 1pc lifter, 1pc IV pole
- 4)3pcs electro-motor, 1pc control box, 1pc handset, battery up

Dimension:

- 1)Size: 2130×980×210/580mm
- 2)Angle of back section: 0 ~ 80" (±5")
- 3)Angle of leg section: 0 ~ 40° (±5°)
- 4)Adjustable height: 210-580mm

Optional Configuration:

- 2) Mobile food table
- 3) Bedside cabinet

Two Function Electric Folding Bed





Feature:

- 1) Cold steel plate wholly molded surface.
- 2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust 3) ABS head&foot board, 4pcs PP siderail,
- detachable and easy to clean
- 4) 2pcs 24V DC electro-motor, 1pc control box. One set of handset
- 5) Luxury castors(2pcs with brake. 2pcs without brake), 1pc IV pole
- 6) Max Loading: 280 Kg

Dimension:

- 1) Size:L2120×W970×H480mm
- 2) Angle of back section: 0 80° (±5°)
- 3) Angle of leg section: 0 ~ 40° (±5°)

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet



Two Function Electric Folding Bed





Feature:

- 1) Cold steel plate wholly molded surface.
- 2) Integrated stamping frame and treated with
- electrostatic spraying, anti-aging and anti-rust
- 3) ABS head&foot board, 6pcs aluminum bars siderall, detachable and easy to clean
 4) 2pcs 24V DC electro-motor, 1pc control box,
- One set of handset
- 5) Luxury castors(2pcs with brake, 2pcs without brake), 1pc IV pole
- 6) Max Loading: 280 Kg

Dimension:

- 1) Size:L2120×W970×H480mm
- 2) Angle of back section: 0 80° (±5°)
- 3) Angle of leg section: 0 ~ 40° (±5°)

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Two Function Electric Folding Bed





Feature:

- 1) Steel frame with wood head&foot panel, steel tube bed board.
- 2) 2pcs 24V DC electro-motor, 1pc control box, 1pc handset
- 3) 4 pcs of noiseless luxury castors(2pcs with brake, 2pcs without brake), 1pc IV pole
- 4) Foldable bed to save space. and easy transportation.

- Dimension: 1) Size:L2000×W900×H480mm
- 2) Angle of back section; 0 80° (±5°)
- 3) Angle of leg section: 0 40" (±5")

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet



Electric Rolling Care Bed











- ABS head&foot board, 6 bars aluminum siderall, detachable and easy to clean
 accessories):5" universal castors (2pcs with brake,
- 2pcs without brake) ,2pcs urine hooks, 6pcs IV drip holes, 1pc IV pole
- 3) 4pcs 24V electro-motor, 1pc control box, 1pc handset.
- Steel meshwork frame and treated with electrostatic spraying, anti-aging and anti-rust

- 1) Size:L2120×W970×H580/800mm
- 2) Angle of back section: $0-80^\circ$ ($\pm 5^\circ$) 3) Angle of leg section: $0-40^\circ$ ($\pm 5^\circ$) 4) Adjustable height: 580-800mm 5) Left and right tilting: $0-30^\circ$ ($\pm 2^\circ$)

Optional Configuration:

- Mattress
 Mobile food table
- 3) Bedside cabinet

Three Function Electric Home Care Bed







Feature:

- 1) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust 2) Wood bed head&foot board, europe popular siderail 3)3pcs 24V DC electro-motor,

- 1pc control box, One set of handset
- 4) 4pcs Castors(2 with brake, 2 without brake), 1pc IV pole

- Dimension: 1) Size:L2120×W970×H450/700mm
- 2) Angle of back section: $0-80^{\circ}$ (±5°) 3) Angle of leg section: $0-40^{\circ}$ (±5°) 4) Adjustable height: 450-700mm

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet







Three Function Electric Home Care Bed







Feature:

- 1) Steel tube bed panel with power coated, wooden bed frame
- 2) Wood bed head&foot board, 6pcs aluminum bars rail
- 4) 3pcs 24V DC electro-motor, 1pc control box, 1 set of handset 5) 4pcs luxury castors with centrol locking system, 1pc IV pole 6) Max Loading: 280 Kg

- 1) Size:L2060×W1060×H450-740mm
- 2) Angle of back section: $0-80^\circ$ ($\pm 5^\circ$)
 3) Angle of leg section: $0-40^\circ$ ($\pm 5^\circ$)
 4) Adjustable height: 450-740mm

- Mattress
 Mobile food table
- 3) Bedside cabinet





Three Function Electric Home Care Bed









- Feature:
 1) Steel tube bed panel with power coated, wooden bed frame
- 2)4pcs Castors(2 with brake,
- 2 without brake), 1pc IV pole
 3) 3pcs 24V DC electro-motor,
 1pc control box, One set of handset
 4) Max Loading: 280 Kg

Dimension:

- 1) Size: L2060×W1060×H350-630mm 2) Angle of back section: 0 ~ 80° (±5°) 3) Angle of leg section: 0 ~ 40° (±5°) 4) Adjustable height: 350-630mm

Optional Configuration: 1) Mattress 2) Mobile food table

- 3) Bedside cabinet

One Crank Manual Hospital Bed





- Single manual crank system
 ABS head&foot board, 6 bars aluminum siderall, detachable and easy to clean
- 3) 4pcs soft crashworthy bumpers
- 4) Accessories:5* 4pcs luxury castors (2pcs with brake, 2pcs without brake), 2pcs urine hooks, 6pcs IV drip holes, 1pc IV drip, 1pc sundries rack

 6
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

Function:

- 1)Size:2120*970*530mm
- 2) Angle of back section: 0 80" (±5")

Optional Configuration:

- Mattress
 Mobile food table
- 3) Bedside cabinet

Flat Hospital Bed

Feature:

- 1)Size:2120*970*530mm 2)ABS head&foot board, 6 bars aluminum siderail, detachable and easy to clean
- 3) 4pcs soft crashworthy bumpers
- 4) Accessories: 2pcs urine hooks,
- 6pcs IV drip holes, 1pc IV drip 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

- Mattress
 Mobile food table
- 3) Bedside cabinet





One Crank Manual Hospital Bed



- 1) Single manual crank system
- 2) simple head&foot board with stainless steel.
- 3) Accessories: 5" 4pcs universal castors (2pcs with brake, 2pcs without brake), 2pcs urine hooks, 6pcs IV drip holes, 1pc IV drip 4) Tube frame and treated with electrostatic spraying,
- anti-aging and anti-rust

- 1)Size:2120*970*530mm
- 2) Angle of back section: 0 80" (±5")

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Two Crank Manual Hospital Bed





Feature:

- 1) Double manual crank system
- 2) ABS head&foot board, 6 bars aluminum siderail.detachable and easy to clean
- 3) 4pcs soft crashworthy bumpers
- 4) Accessories:5" 4pcs luxury castors (2pcs with brake, 2pcs without brake), 2pcs urine hooks, 6pcs IV drip holes, 1pc IV drip, 1pc sundries rack
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-r 6) Max Loading: 280 Kg

Function:

- 1) Size:2120*970*530mm
- 2) Angle of back section: 0 80° (±5°) 3) Angle of leg: 0 40° (±5°)

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet







Two Crank Manual Hospital Bed





Feature:

- Double manual crank system
 ABS head&foot board, 6 bars aluminum siderall, detachable and easy to clean
- 3) 4pcs soft crashworthy bumpers
- 4) Accessories: 5" 4pcs luxury castors with centrol locking systerm, 2pcs urine hooks, 6pcs IV drip holes, 1pc IV drip, 1pc sundries rack.
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

Function:

- 1) Size:2120*970*530mm
- 2) Angle of back section: 0 80" (±5")
- 3) Angle of leg: 0 40" (±5")

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Two Crank Manual Hospital Bed





Feature:

- Double manual crank system
 ABS head&foot board, 4pcs PP siderall, detachable and easy to clean
- 3) Accessories:5* 4pcs luxury castors (2pcs with brake, 2pcs without brake), 2pcs urine hooks, 6pcs IV drip holes, 1pc IV drip, 1pc sundries rack
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Function:

- 1) Size:2120*970*530mm
- 2) Angle of back section: 0 ~ 80° (±5°) 3) Angle of leg: 0 ~ 40° (±5°)

- Mattress
 Mobile food table
- 3) Bedside cabinet





Two Crank Manual Hospital Bed









- 1) Double manual crank system
- 2) Simple head&footboard
- 3) Accessories:5" 4pcs universal castors (2pcs with brake, 2pcs without brake)
- 4) Meshnet panel and treated with electrostatic spraying, anti-aging and anti-rust

- 1) Size:2120*970*530mm
- 2) Angle of back section: 0 ~ 80° ($\pm 5^\circ$) 3) Angle of leg: 0 ~ 40° ($\pm 5^\circ$)

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet
- 4) Aluminum siderail



Three Crank Manual Hospital Bed







Feature:

- 1) 3sets manual crank system
- 2) ABS head&foot board, 6 bars aluminum siderail, detachable and easy to clean
- 3) 4pcs soft crashworthy bumpers
- 4) accessories):5" 4pcs luxury castors (2pcs with brake, 2pcs without brake) ,2pcs urine hooks, 6pcs IV drip holes 5) Integrated stamping frame and treated with electrostatic
- spraying, anti-aging and anti-rust 6) Max Loading: 280 Kg

- 1) Size:2120×970×450/740mm
- 2) Angle of back section: 0 80° (±5°)
- 3) Angle of leg section: 0 ~ 40" (±5") 4) Adjustable height: 450-740mm

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet



Three Crank Manual Hospital Bed







- 3 sets manual crank system
 ABS head&foot head, 4pcs PP siderail. detachable and easy to clean
- 3) accessories):5" 4pcs luxury castors (2pcs with brake, 2pcs without brake), 2pcs urine hooks, 4pcs IV drip holes
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Dimension:

- 1) Size:2120×970×450/740mm
- 2) Angle of back section: 0 80° (±5°)
- 3) Angle of leg section: $0-40^{\circ}$ ($\pm 5^{\circ}$)
- 4) Adjustable height: 450-740mm

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Three Crank Manual Hospital Bed







Feature:

- 1) 3sets manual crank system
- 2) ABS head&foot head, 4pcs PP siderail, detachable and easy to clean
- 3) accessories):5"4pcs luxury castors with centrol locking system ,2pcs urine hooks, 4pcs IV drip holes
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Dimension:

- 1) Size:2120×970×450/740mm
- 2) Angle of back section: 0 80" (±5")
- 3) Angle of leg section: 0 ~ 40° (±5°) 4) Adjustable height: 450-740mm

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinat



Three Crank Manual Hospital Bed









Feature:

- 1) 3sets manual crank system
- 2) ABS head&foot board, 4 bars aluminum siderall, detachable and easy to clean, overbed table
- accessories):5"4pcs luxury castors with centrol locking system ,2pcs urine hooks, 6pcs IV drip holes
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Dimension:

- 1) Size:2120×970×450/740mm
- 2) Angle of back section: 0 80° (±5°)
- 3) Angle of leg section: 0 40° (±5°)
- 4) Adjustable height: 450-740mm

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Three Crank Manual Hospital Bed







- 1) 3 sets manual crank system
- 2) ABS head&foot board, 4pcs PP siderail, detachable and easy to clean, decorative soft connection
- 3) accessories):5"4pcs luxury castors with centrol locking system ,2pcs urine hooks, 6pcs IV drip holes
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 5) Max Loading: 280 Kg

Dimension:

- 1) Size:2120×970×450/740mm
- 2) Angle of back section: 0 ~ 80" (±5")
- 3) Angle of leg section: 0 ~ 40" (±5")
- 4) Adjustable height: 450-740mm

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet



Three Manual Crank Rolling Care Bed











Feature:

- 1) 3sets manual crank system
- 2) ABS head&foot board,6 bars aluminum siderail, detachable and easy to clean
- 3) Accessories: 5" 4pcs universal castors (2pcs with brake, 2pcs without brake), 2pcs urine hooks, 6pcs IV drip holes, 1pc IV drip
- 4) Steel meshwork frame and treated with electrostatic spraying, anti-aging and anti-rust

Function:

- 1) Size:2120*970*530mm
- 2) Angle of back section: 0 80° (±5°)
- 3) Angle of leg: 0 ~ 40° (±5°) 4)Angle of bed left and right: 0 ~ 30° (±2°)

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Orthopaedic Bed









- 1) 4sets manual crank system
- 2) ABS head&foot board, 6pcs bars aluminum siderail, stainless steel traction frame, detachable and easy to clean
- 3) accessories):5" 4pcs luxury castors (2pcs with brake, 2pcs without brake), 2pcs urine hooks, 6pcs IV drip holes .
- 4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust

Function:

- 1) Size:2120×970×450/720mm
- 2) Angle of back section: 0 80° (±5°)
- 3) Angle of left leg section: 0 40" (±5")
- 4) Angle of right leg section: 0 ~ 40° (±5°) 5) Adjustable height: 450-720mm

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet



Four-Crank Orthopedics Traction Bed









Feature:

- 1) 4sets manual crank system
- 2) ABS head&foot board, 6pcs bars aluminum siderall.
- simple stainless steel traction frame. detachable and easy to clean
- 3) accessories):5" 4pcs universal castors (2pcs with brake, 2pcs without brake), 2pcs urine hooks, 6pcs IV drip holes,
- 4) Integrated stamping frame and treated with electrostatic spraying. anti-aging and anti-rust

Function:

- 1) Size:2120×970×450/740mm
- 2) Angle of back section: $0 80^{\circ}$ ($\pm 5^{\circ}$)
 3) Angle of left leg section: $0 40^{\circ}$ ($\pm 5^{\circ}$)
- 4) Angle of right leg section: 0 = 40° (±5°) 5) Adjustable height: 450-740mm

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Four-Crank Orthopedics Traction Bed





- 1) ABS headboard &footboard. 6 aluminum guiderail.
- 2) Steel bed frame, stainless steel traction shelf
- 3)4sets manual crank systems
- 4)4pcs urine hooks, 6pcs IV drip holes, 1pc lifter

Function:

- 1) Size: L2210×W970×H485mm
- 2) Angle of back section: 0 80" (±5"
- 3) Angle of left leg section: $0-40^\circ$ ($\pm 5^\circ$) 4) Angle of right leg section: $0-40^\circ$ ($\pm 5^\circ$)

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet





Three -Crank Orthopedics Bed





Feature:

- 1) 3sets manual crank system
- 2) ABS bed head,
- 6 aluminum bars fence can go up and down.
- 3) 4pcs soft crashworthy bumpers
 4) accessories): 2pcs urine hooks,
 6pcs IV drip holes, 1pc lifter
- 5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
- 6) Max Loading: 280 Kg

Function:

- 1) Size:L2120×W970×H485mm
- 2) Angle of back section: 0 ~ 80° (±5°)
- 3) Angle of left leg section: $0-40^{\circ}~(\pm 5^{\circ}~)$ 4) Angle of right leg section: $0-40^{\circ}~(\pm 5^{\circ}~)$

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

Stainless Steel Orthopaedic Bed





Feature:

- 1) 4sets manual crank systems
- 2) Stainless steel head&foot board. stainless steel siderail, detachable and easy to clean
- 3) Stainless steel tube bed frame, stainless steel traction shelf
- 4)4pcs urine hooks, 6pcs IV drip holes, 1pc lifter

Function:

- 1) Size: L2210×W980×H450/720mm
- 2) Angle of back section: $0-80^{\circ}$ ($\pm 5^{\circ}$) 3) Angle of leg section: $0-40^{\circ}$ ($\pm 5^{\circ}$)

Accessories:

- 1) L.V.pole
- 2)S.S protective railing





Two Crank Stainless Steel Bed





Feature:

- 1) Double manual crank system
- 2) Stainless steel head&foot board,
- stainless steel siderail, detachable and easy to clean
- 3) Accessories: 5" 4pcs universal castors
 (2pcs with brake, 2pcs without brake),
 2pcs urine hooks, 6pcs IV drip holes, 1pc IV drip.
- Stainless steel tube anti-aging and anti-rust

Function:

- 1)Size:2100*900*530mm
- 2) Angle of back section: 0 80° (±5°)
- 3)Angle of leg section: 0 40" (±5")

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

CY-A114A

Two Crank Stainless Steel Bed





Feature:

- 1) Double manual crank system
- Stainless steel head&foot board, stainless steel siderail, stainless steel net frame, detachable and easy to clean
- 3) Accessories: 2pcs urine hooks, 4pcs IV drip holes, 1pc IV drip
- 4) Stainless steel tube anti-aging and anti-rust

Function:

- 1)Size:2100*900*530mm
- 2) Angle of back section: 0 80" (±5")
- 3)Angle of leg section: 0 40° (±5°)

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet



CY-AI15

One Crank Stainless Steel Bed



Feature:

- 1) Single manual crank system
- 2) Stainless steel head&foot board
- Accessories: 2pcs urine hooks, 6pcs IV drip holes, 1pc IV drip
- 4) Stainless steel tube anti-aging and anti-rust

unction:

- 1)Size:2100*900*530mm
- 2) Angle of back section: 0 80" (±5")

Optional Configuration:

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet

CY-A115A

One Crank Stainless Steel Bed



Feature:

- 1) Single manual crank system
- Stainless steel head&foot board, stainless steel siderail, detachable and easy to clean
- 3) Accessories:5" 4pcs castors
 (2pcs with brake, 2pcs without brake),
 2pcs urine hooks, 6pcs IV drip holes,
- 1pc IV drip 4) Stainless steel tube anti-aging and anti-rust

unction:

- 1)Size:2100*900*530mm
- 2) Angle of back section: 0 ~ 80° (±5°)

- 1) Mattress
- 2) Mobile food table
- 3) Bedside cabinet







2 Section Hi-Low Electric **Examination Couch**





Feature:

- 1) Size:1955*700*460/910mm
- 2) The frame and leg all made of heavy duty metal square pipe with protective. The top made of High-density stretchy sponge and artificial leather 3)4pcs 3 inch castors with
- foot pedal to move and stop
- 4) 2pcs gas spring adjustable head board. 1pc actuator control hi-low height, 1pc foot pedal(optional handset)

- 1)Height adjustable:460-910mm
- 2) Head adjustable:87" to -35"

2 Section Hi-Low Hydraulic **Examination Couch**





Feature:

- 1) Size:1955*700*460/910mm
- 2) The frame and leg all made of heavy duty metal square pipe with protective. The top made of High-density stretchy sponge and Artificial Leather
 3)4pcs 3 inch castors with foot pedal
- to move and stop
- 2pcs gas spring adjustable head board .
 1pc imported hydraulic pump control hi-low height, 1set foot pedal

Function:

- 1)height adjustable:460-910mm
- 2) head adjustable:87° to -35°





2 Section Electric Neurology **Examination Couch**





- 1) Size:2080*1000*460/910mm
- 2) The frame and leg all made of heavy duty metal square pipe with protective. The top made of High-density stretchy sponge and artificial leather 3)4pcs 3 inch castors with foot pedal to move and stop
- 4) 2pcs gas spring adjustable head board. 1pc actuator control hi-low height, 1pc foot pedal(optional handset)

Function:

- 1)Height adjustable:460-910mm
- 2) Head adjustable:87° to -35°

3 Section Hi-Low Electric **Examination Couch**









- Feature: 1) Size:1955*700*460/910mm
- 2) The frame and leg all made of heavy duty metal square pipe with protective. The top made of High-density stretchy sponge and artificial leather 3)4pcs 3 inch castors with foot pedal to move and s
- 4) 2pcs gas spring adjustable head board. 2pcs gas spring adjustable foot board. 1pc actuator control hi-low height. 1pc foot pedal(optional handset)

- 1)height adjustable:460-910mm
- 2)head adjustable:87° to -35°
- 3)foot adjustable:28" (±5)





3 Section Hi-Low Hydraulic **Examination Couch**







Feature:

- 1) Size:1955*700*460/910mm 2) The frame and leg all made of heavy duty metal square pipe with protective. The top made of High-density stretchy sponge and artificial leather
- 3)4pcs 3 inch castors with foot pedal to move and stop 4) 2pcs gas spring adjustable head board. 2pcs gas spring adjustable foot board. 1pc imported hydraulic pump control hi-low height, 1set foot pedal

- 1)height adjustable:460-910mm
- 2)head adjustable:87° to -35° 3) foot adjustable: 28° (±5°)

Electric Title Table





It is used for patients with hemiplegia, paraplegia and other severe cased to do standing exercise during recovery

- 1) Tilt Table uses dual motors to vary tilt and height adjustment. The very strong and rigid frame is fitted.
- 2)It is with 1pc working table, 3pcs patient strap and 1pc extend-retract foot pad.
- 3) 2pcs motors (one motor adjustable height, one motor vary tilt)
- 4)4pcs 3" castors (2pcs with brake , 2pcs without brake)

Function:

Size: 1950*710*800mm Bed surface: 1850*600mm Standing angle: 0 " --90" Foot rest adjustable angle:-10 " -30° (relative to horizontal direction) Minimum height 480mm / 18.90" Maximum height 840mm / 33.07"





5 Section Electric **Examination Couch**







Feature:

- 1) Size:1955*700*470/880mm 2) The frame and leg all made of heavy duty metal square pipe with protective. The top made of High-density stretchy sponge and artificial leather. 2pcs hand holder
- 3)4pcs 3 inch castors with foot pedal to move and stop
- 4) 1pc actuator, 1 control box and 1pc handset(footswitch as optional)
- 5) head and foot adjustable by gas spring , height adjustable by actuator

Function:

- 1)height adjustable:470-880mm
- 2) head adjustable:87° to -30° (±5°) 3)foot adjustable:28° (±5°)

Electric Chiropractic Table





Feature:

- 1) Size:1955*700*500/950mm
- The frame and leg all made of heavy duty metal square pipe with protective. The top made of High-density stretchy sponge and artificial leather
- 3)4pcs 3 inch castors with foot pedal to move and stop
- 4) 2pcs gas spring adjustable head board. 1pc actuator control hi-low height 1pc foot pedal(optional handset)

- 1)height adjustable:500-950mm
- 2) head adjustable:34° to -44°





Classic Deluxe Portable Couch

- 1).frame is made of aluminum and wooden . high spong gas spring 2) head control by manual system
- 3) it is with double carry handle
- 4)adjustable height of legs

Function:

- 1)height adjustable:650-810mm 2) head adjustable:0° to -75°







S.S Examination Table

Feature:

- 1)size:1800*630*650mm
- 2)made of stainless steel and
- covered small limitated leather; 3)machinery adjustable of height of head board



Examination Table

Feature:

- 1)size:1800*630*650mm
- 2)made of steel with powdar coated and covered small limitated leather:
- 3)machinery adjustable of height of head board



S.S Hydraulic Shower Bed

5)siderail can be adjustable up and down .

- 1)Bed Size:1950*760*460/800mm-
- All stainless steel, it is designed to allow washing or showering of patients in a supine position
- 3)mattress is luxury high quality PVC. Size:1850*700*280mm
- A)adjustable height by imported hydraulic pump from USA.





S.S Delivery Bed

- 1) Stainless steel delivey bed.
- 2)Accessories: Leg supports with mattress, Powder coated side rail can be raised and downed 6cm thick foam of 35 kg/m² density, IV pole. Size:1900*620*750mm Angle of back section: 0 ~ 70" (±5") Angle of haunch section: 0 -80° (±5°)





CY-C301

LDR BED(Ordinary)

Bed dimension including bed end and bumper wheel: Length 2350mm Width 940mm
Bed dimension: Length 1950mm Width 880mm
Bed height: Lowest ≤540mm Highest ≥890mm
(exclude the cushion)
Back section turning: ≥65°
Seat section turning: ≥12°
Trendelenburg: ≥8°
Leg section lifting distance: 110mm
Footrest swing out: ≥50°
Footrest folding: ≥75°
Guard rall up/down movement: 360mm
Castor dia.; 150mm



CY-C304

LDR BED(Intelligent)

Bed dimension including bed end and bumper wheel: Length 2350mm Width 940mm
Bed dimension: Length 1950mm Width 880mm
Bed height: Lowest≤540mm Highest≥890mm
(exclude the cushion)
Back section turning: ≥65°
Seat section turning: ≥12°
Trendelenburg: ≥8°
Leg section lifting distance: 110mm
Footrest swing out: ≥50°
Footrest folding: ≥75°
Guard rail up/down movement: 360mm
Castor dia.: 150mm





CY-C30:

LDR BED(Low Starting Position)

Bed dimension including bed end and bumper wheel: Length1930mm,width 940mm
Bed dimension: Length 1815mm,width 780mm
Bed height: lowest ≤ 580mm,
highest ≥ 860mm (exclude the cushion)
Back section turning: ≥ 60°
Seat section turning: ≥ 10°
Trendelenburg: ≥ 8°
Leg section up/down movement: 100mm
Footrest swing out: ≥ 45°
Footrest folding: ≥ 45°
Guard rail up/down movement: 360mm
Castor dia,: 150mm

CY-C302

LDR BED (Economic)


Bed dimension including bed end and bumper wheel: Length1930mm,width 940mm
Bed dimension: Length 1815mm,width 780mm
Bed height: lowest≤680mm,
highest≥920mm (exclude the cushion)
Back section turning: ≥60°
Trendelenburg and reverse trendelenburg:
reverse trend≥5° trend≥8°
Footrest swing out: ≥45°
Footrest folding: ≥45°
Guard rail up/down movement: 360mm
Castor dia.; 150mm





Multifunction Obstetric Table

Table top dimension: length 1850mm, width 610mm Min.& Max. table height: 650mm~900mm Trendelenburg & reverse trendelenburg: reverse trend ≥ 10°, trend ≥ 20° Back section turning: -10° -75° Assist platform dimension: length 540mm, width 610mm Arm rest swing out: ≥ 90° Filth basin dimension:468×338×125mm (can be equipped with soft pipe)



Eectro-Hydraulic Operating Table

OT2000 electro-hydraulic operating table is made specially to meet demand of general surgical operations. It adopts full 304 stainless steel, excellent properties on anti-rust.

Tabletop is X-raying available.PU matress.

- * 1 Anaesthetic Screen
- *2 Shoulder Rest *2 Arm Support *2 Body Suppport *2 Knee Crutch *1 Cushion 1PCS in a Box Meas: 1360×860×880mm

G/N.W:300/250KG Lenth/Width:1960mm/480mm

Elevation(up/down):750mm/950mm Trendelenburg:≥22°

Reverse Trendelenburg: ≥15" Lateral Tilt(left/right):15" /15" Head Rest(up/down):45" /90" Footplate(up/down&horizontal positioning): 90° Back plate(up/down):75" /20" Power:220v,50Hz,1.0kW





Multi-Purpose Operating Table

3001E is all mechanically operated, hydraulic pressure increase or decrease It adopts stainless steel as its material with nice appearance and compact structure, made of full 304 stainless steel. Germany made Gas spring to adjust the backrest and leg plate. Tabletop is X-raying Available. * 1 Anaesthetic Screen * 2 Shoulder Rest * 2 Arm Support * 2 Body Support * 2 Knee Crutch * 1 Cushion 1 piece in a wooden case Meas:1300×770×1040mm G/N.W:330/280KG Lenth/width:2000mm/500mm Elevation(up/down):705mm/1005mm Trendelenburg/Reverse Trendelenburg:30" /25" Lateral Tilt:20° /20° Head rest(up/down):50" /60" Leg Plate(up/down):15° /90° Back Plate(up/down):70° /30°

Multi-Purpose Operating Table

3008A is all mechanically operated, hydraulic pressure increase or decrease It adopts stainless steel as its material with nice appearance and compact structure. it brings convenience for operating and can be applied for various surgical operations.

- * 1 Anaesthetic Screen
- * 2 Shoulder Rest
- * 2 Arm Support * 2 Body Suppport
- * 2 Knee Crutch

* 1 Cushion _.1PCS in a Box Meas:1220×740×1040mm G/N.W:290/240KG Lenth/width:2000mm/500mm

Elevation(up/down):780mm/1020mm

Trendelenburg 22" Reverse Trendelenburg 22" Lateral Tilt 18/" 18

Head rest(up/down) 45" /70"

Leg Plate(up/down) 15" / 90" Back Plate(up/down) 75" /15"

Kidney bridge elevation: 120mm



Multi-Purpose Operating Table

3008AB is all mechanically operated, hydraulic pressure increase or decrease It adopts full stainless steel as its material with nice appearance and compact structure, tabletop can be X-raying available.

- * 1 Anaesthetic Screen
- * 2 Shoulder Rest
- * 2 Arm Support
- * 2 Body Suppport
- * 2 Knee Crutch * 1 Cushion _1PCS in a Box

Meas:1400×750×1060mm G/N.W:330/280KG

Lenth/width:2000mm/500mm Elevation(up/down):780mm/1020mm Trendelenburg 22"

Reverse Trendelenburg 22* Lateral Tilt 18/1 181

Head rest(up/down) 45" /70"

Leg Plate(up/down) 15" / 90" Back Plate(up/down) 75" / 15"

Multi-purpose Parturition Bed

C06A is hydraulic operating table for gynaecology and obstetrics, with full affinity profile. Any colors are available for the mattress, Made of full premium 304 stainless steel. Side operated to control its backset, germany made gas spring to control the back plate.

1 Anaesthetic Screen * 2 Shoulder Rest
2 Arm Support * 2 Body Suppport
2 Knee Crutch * 1 Cushion .

1 piece in a wooden case

Meas:1340*860*880 G/N.W:260/210KG







Electric Parturition Bed

C99A is electric operation table for gynaecology and obstetrics. with full affinity profile.

Any colors are available for the mattress.
It overcomes the slow speed of similar products.
Pedal switch. * 2 Arm Support * 2 Knee Crutch

* 1 Cushion 1PCS in a Box Meas:1360×860×880mm G/N.W:260/210KG Lenth/width:1800mm/500mm Elevation(up/down):620mm/900mm Seat Plate(up/down):17" / 6" Back Plate(up/down):60° /10° Power:220v,50Hz,1.0kw

Electric Parturition Bed

99c is electric operation table for gynaecology and obstetrics, with full affinity profile. Any colors are available for the mattress. It overcomes the slow speed of similar products. Pedal switch

* 1 Anaesthetic Screen * 2 Shoulder Rest

*2 Arm Support *2 Body Suppport *2 Knee Crutch *1 Cushion 1PCS in a Box Meas:1360×860×880mm G/N.W:240/190KG

Lenth/width:1800mm/500mm Elevation(up/down):620mm/900mm Seat Plate(up/down):17" / 6" Back Plate(up/down):60" /10" Power:220v,50Hz,1.0kw





Dental Chair

High-speed handpiece tubing with connector 2 set Low-speed handpiece tubing with connector 1 set 3-way syringe 1 piece Water suction and saliva ejector 1 set each Operation lamp 1 set X-film vewer 1 set Water purified system 1 set Turnable glass cuspidor 1 set Water supply and flush cuspidor system 1 set each Moveable glass cuspidor 1 set Round foot pedal 1 set Dentist stool 1 piece lower chair frame

Option:

- 1.TOP-MOUNTED INSTRUMENT TRAY
- 2.CURING LIGHT
- 3.SCALER
- 4.HANDPIECE
- 5.ENDOSCOPE SYSTEM
- 6.COMPRESSOR
- 7. WHITENING UNIT

Dental Chair

High-speed handpiece tubing with connector 2 set Low-speed handpiece tubing with connector 1 set 3-way syringe 2 piece Water suction and saliva ejector 1 set each Operation lamp 1 set X-film vewer 1 set Water purified system 1 set Water heating system 1 set Auto water supply and flush cuspidor system 1 set each Fixed ceramic cuspidor 1 set Quadrate foot pedal 1 set Dentist stool 1 piece

Option:

- 1. TOP-MOUNTED INSTRUMENT TRAY
- 2.CURING LIGHT 3.SCALER
- 4.HANDPIECE

lower chair frame

- 5.ENDOSCOPE SYSTEM
- 6.COMPRESSOR
- 7. WHITENING UNIT



CY-C326

Blood Collection Chair(three function)

Chair dimension: 1700mm(curve length) \times 560mm Height: 570mm(min.)---830mm(max.) Head section turn: -15° -25° Back section lift: 0-80" Leg section turn: 0--90' Arm board swing out: 0-45" Arm board height adjustment: 100mm Arm board slide: 100mm Arm board declining angle adjustment: -15° -10° Arm board dimension: 450mm×160mm Trend and reverse trend: 0~12° Arm board concave radian: R108 Optional Accessory Multimedia



Blood Collection Chair(three function)

Chair dimension:1700mm(curve length) ×560mm Height:510mm(min.)---800mm(max.) Back section lift: 25° -80° Trend and reverse trend: 0-12' Leg section turn: -30° --90° Arm board swing out: 0-45° Arm board height adjustment: 100mm Arm board slide: 100mm Arm board declining angle adjustment: -15° -10° Arm board dimension: 450mm × 160mm Arm board concave radian: R108 Optional Accessory Multimedia



Blood Collection Chair(Manual)

Chair dimension: 1650mm(curve length) ×560mm Back section lift: 0-70 Arm board swing out: 0-45° Arm board height adjustment: 100mm Leg section turn: 0 -- 60° (leg section and seat section work as one unite) Arm board dimension: 450mm × 160mm

Arm board concave radian: R108



Electric Blood Donor Chair

Feature:

- 1)Waterproof&wearable cloth,
- high dense sponge
- 2) high quality gas spring adjust angle of back, comfortable, one piece of oddment basket
- 3)2pcs armrest, one motor adjustable backrest and footrest

Dimension:

- 1)1100*690*1200mm
- 2)Angle of leg section: 90-175" (±5") 3)Angle of backrest: 0 85(±5")



I.v.Drip Chair

- 1Waterproof&wearable cloth,high dense sponge
- 2)high quality gas spring adjust angle of back, comfortable, one piece of oddment basket 3)IV pole.
- 4)chair size:730*685*1300mm



I.v.Drip Chair

Back, leg, seat sections are manual Arm board move and swing operated by manual

Datas:

- 1)Size: 730*670*1200mm
- 2)The whole product was made from metal with powder coated, top with small pillow
- Foot treadle, 2pcs 3 inch castors both with brake Comfortable and utility;
- 4) Both sitting and laying poositions
- 5) it has two armrest with chair, and add more 2pcs arm/est can be used left and right ,adjustable ,height and rotation 6) back and foot adjustable by gear to control 4
- grades degree from 90 to 130 degree



3 Seats Waiting Chair

Made from top quality 201 stainless steel , size:1800*670*790 mm



Nursing Chair

- Steel frame with spray power coated.
 Waterproof&wearable cloth, high dense sponge
- 3)Extention leght is 1900mm.
- 4)size:1900*560*520mm







Hydraulic Stretcher

- 1) The panel made of sepcial material which can be used for x-ray examination.
- 2)2pcs hydraulic pumps and Modern hydraulic assistance system, to make the bed strong and beautiful.
- 3) The humanity design and producing of the bed can much more satisfy to the requirement of nursing people
- 4)Central-control brake castors, one central director castor

Five function:

- 1)Angle of back section: 0 -70° (±5°)
- 2)Angle of leg section: 0-40" (±5")
- 3)Angle of height section: 620-855mm
- 4)Angle of trendelenburg and reserve Trendelenburg: $0 = 13^{\circ} (\pm 2^{\circ})$





3 Seats Waiting Chair With Cushion

Seat: 1.5mm thickness metal steel after painting Arms/legs: 1.2mm thickness metal steel after chrome Beam: 1.8mm thickness 80*40mm square steel tube leather: PU leather. Size:1800*670*790MM









Bi-hydraulic Transfer Stretcher

- 1)The stretcher is made of imported PE materials. morden hydraulic assistance system, o make the bed strong and beautiful.
- 2) The humanity design and producing of the bed can much more satisfy to the requirement of nursing people
- 3)Central-control brake castors, one central director castor
- 4)Angle of back section: 0 -70° (±5°)
- 5)Angle of height section: 550-840mm
- 6)Angle of Trendelenburg and reserve Trendelenburg: 0 - 13° (±2°). 7)size:1950x650x550/840mm

Manual Patient Transfer Trolly

Feature

- 1) Single manual crank system Back angle from 0-80 degrees
- 2) high quality construction Retracting height, IV pole inclued, central brake application, PP siderail
- 3)Central-control brake castors, one central director castor
- 4)Angle of back section: 0 ~70" (±5")
- 5)Angle of height section: 570-860mm
- 6)size:1950×650×570/860mm





Connecting Strecher

- 1)High quality Aluminum marterials as the main structure, one time automatically pressed.
- 2) High strength alloy aluminum marterials for the track ,to increase steady and reliability.
- 3)Central-control brake castors, one central director castor
- 4)Angle of back section: 0 -70° (±5°)
- 5)Angle of height section: 435-845mm
- 6) 3650mm X 640mm X 640/970mm

Emergency Stretcher

Feature:

- 1) This multifunctional automatic stretcher with varied positions:
- 2) Waterproof foamed mattress, back adjustate, Mechanical folding legs are controlled by the handles on both sides;
- 3) It can be satisfy the emergency treatment in complicate situations especially suit for the combination ambulance;
- 4) Made of high-quality alloyed aluminumm, safety, and anti-corrosion:
- 5) The stretcher can be looked up after aboarding through the chute. Technology parameter: unfolded size(L×W×H) high position: 190×53×90cm. low position: 198×53×34cm. packing size(L×W×H): 198×60×35cm. load bearing ≤159kg. N.W:38KG ,G.W:40KG maximum angle of the back: 11" -25"





Emergency Stretcher

- 1) Bed-surface is made of foamed cushion, which makes the wounded feel comfortable:
- Waterproof foamed mattress, back adjustale, Mechanical folding legs are controlled by the handles on both sides:
- 3) It can be satisfy the emergency treatment in complicate situations especially suit for the combination ambulance;
- 4) Made of high-quality alloyed aluminumm, safety, and anti-corrosion;
- 5) The stretcher can be looked up after aboarding through the chute.

Technology parameter: unfolded size(L×W×H) high position: 190×60×90cm. low position: 197×60×26cm. packing size(L×W×H), 199×63×29cm. load bearing ≤159kg. N.W:39KG,G.W:40KG





Emergency Stretcher

- 1) This multifunctional automatic stretcher with varied positions, can be conceded into a chair:
- 2) Waterproof foamed mattress,
- 3) the angle of the stretcher can be adjusted according to you demand it's quite suitable to transfer the patients in the limited place, esp in the lift.
- Made of high-quality alloyed aluminumm, safety, and anti-corrosion;
- 5) The stretcher can be looked up after aboarding through the chute. Technology parameter: unfolded size(L×W×H) high position: 190×56×90cm low position: 195×56×22cm. packing size(L×W×H): 197×60×29cm. load bearing ≤159kg, N.W:39KG,G.W:40KG



First Aid Stretcher Series Medical Cabinet Series

CY-F612

Stianless Steel Stretcher



- made of stainless steel and covered leather with sponge;
- 2)can simple knocked-down for save freight,
- 3)four small caster (two with brake)
- 4)Size:L1935×W600×H650mm

CY-F601

Aluminum Alloy Foldable Stretcher



Technology parameter: unfolded size(L \times W \times H): 210 \times 54 \times 12cm folded size(L \times W \times H): 58 \times 12.5 \times 20cm packing size(L \times W \times H): 62 \times 27 \times 17cm load bearing \leq 159kg. N.W:5KG ,G.W:6KG



Basket Stretcher

Technology parameter: unfolded size(L \times W \times H): 220 \times 63 \times 18cm packing size(L \times W \times H): 222 \times 64 \times 18cm load bearing \leq 159kg. N.W:21KG,G.W:23KG

CY-F608

Emergency Stretcher



Feature:

- 1) Bed-surface is made of foamed cushion,
- Waterproof foamed mattress, back adjustale,
 It can be satisfy the emergency treatment in complicate situations especially suit for the
- combination ambulance;
 4) Made of high-quality alloyed aluminumm, safety, and anti-corrosion.
- The stretcher can be looked up after aboarding through the chute.

CY-F600

Aluminum Alloy Foldable Stretcher



Technology parameter:
unfolded size(L×W×H): 185×50×15cm
folded size(L×W×H): 94×50×9cm
packing size(L×W×H): 95×52×10cm
load bearing ≤159kg, N.W:6KG,G.W:7KG,

CY-HT2

2 Section Hospital Theater Sink

Material: Stainless steel Hospital nursing series Function: Auto-sensing Size: 1125×600×900mm



CY-D002

S.S Medical Prepare Cabinet

Size:1200*300/600*1980mm, Stainless steel ,2pcs big cabinet, 2pcs small drawer, 3 shelves medicine holder



EY-D005

S.S Hospital Groud Cabinet

size: 1900*500*900mm ,stainless steel , 4pcs small drawers with keys , 2pcs big cabinet



CY-HT3

3 Section Hospital Theater Sink

Material: Stainless steel Hospital nursing series Function: Auto-sensing Size: 1125×600×900mm



CY-D003

File Cabinet

Size:900*400*1750mm, metal with powder-coating, 3 shelves .glass door with key



CY-DUP1



Medicine Trolley

Size:1100*480*950mm
 S

3)6pcs drawers,1pc sundries rack, 1pc IV pole,4 castors (2pcs with brake,2pcs without brake) Medical Cabinet Series Medical Cabinet Series

CY-D403

Emergency Trolley Size:610×470×920mm, Packing size:660*480*920MM

CY-D407



CHAIDHOR

Emergency Trolley



CY-D406



CY-D408



CHECK THE PARTY OF THE PARTY OF





CY-D414

Anesthesia Trolley

Size:625×475×920mm, Pack size:673*480*920MM



CY=H631

Hospital Record Cart

ABS meterall, one drawer with 4pcs silent wheels and locks one rows, 25 layers with one drawers. Dimensions: 1) size:336*400*950mm



CY-H832

Hospital Record Cart

ABS meterail, two drawer with 4pcs silent wheels and locks. Double rows, 50 layers with 2 drawers. Size:660*403*1150mm



CY-D425

Baby Trolley

Steel frame with powder coated. Acylic bassinette, with 1.V.pole. Four luxury castors with brakes, size:800*480*900mm



CY-D420

Baby Trolley

Stainless steel frame Acylic bassinette, with 1.V.pole Four 3" castors,2 with brake,2 without brake. Size:800"480"900mm



IL CHARLES

Baby Trolley

Spring gas system to adjust bassinet high-low adjustment.
Bassinet canput over bed, convenience for the comunication between mother and baby.
With I.V.pole,4pcs castors.
Size:800x480x950-1200mm



Children Bed

- 1)size:L1650*W800*H650-1260MM
- 2)Painted tubular steel tube, steel platform.
- TR/RTR positions adjustable with hand crank.
 Drop down side rails with safety catches.
- 5)Mounted on four \$ 100 mm casters,

two of which with brake.

Knock down construction.





Baby Trolley

Spring gas system to adjust bassinet high-low adjustment. Bassinet can put over bed. convenience for the comunication between mother and baby. With I.V.pole,4pcs castors. Size:800x480x950-1200mm



Stainless Steel Chidren Bed

- 1)size:L1650*W800*H650-1260MM
- 2)stainless steel tube
- 3)TR/RTR positions adjustable with hand crank.
- 4)Drop down side rails with safety catches.
- 5)Mounted on four 4 100 mm casters,
- two of which with brake.

Knock down construction,

Trolley for dirty and waste

- 1)Size:890x480x850mm Trolley for dirty and waste 2)Stainless steel structure, with three shelves.
- 3) The bag of waste is made of waterproof cloth.
- 4)4 castors with two brake.



Stainless Steel Medical Cart

1)750×450×800mm



Stainless Steel Medical Cart

1)Size: 660*400*860mm



Trolley for dirty and waste

Material: Stainless steel; Four general casters; Steady structure; It's useful; Size:700×500×900mm



Stainless Steel Medical Cart

1)Size:660*400*860mm



Stainless Steel Medical Trolley

1)Size:660*400*860mm



CY-D405

S.S Treatment Trolley

Size:850*500*900mm 4 castors (2pcs with brake,2pcs without brake),
 Stainless steel structure, with handrall



CY-H814 Over Bed Table

L800xW390xH770~1020mm adjustable Wooden Panel epoxy coating Steel Frame, Function: spring Lift,



CY-H838

Over Bed Table

L800xW390xH820-1200mm Material: Wooden Panel: epoxy coating Steel Frame Function: Mechanical system





CY-D152

S.S Operation Tray

stainless steel structure, adjustable height, 4 castors (2pcs with brake,2pcs without brake), size:445*345*990/1400mm.



CY-H837

Over Bed Table

L800xW390xH770-1020mm

Steel Frame, U type bottom Function: spring Lift

Wooden Panel, epoxy coating

CY-H836


Over Bed Table

L800xW390xH770~1020mm Wooden Panel . epoxy coating Steel Frame Function: spring Lift



CY-H807

ABS Flexible Over Bed Table



CY-H812

ABS Cabinet

The whole is made of ABS One drawer Two shelves inside 4pcs Castors available 480 X480 X 800mm



CY-H813

ABS Cabinet

One drawer thermos base holder 4pcs Castors available. size:480 X480 X 920mm



CY-H805

Three fold screen

1)made of stainless steel ,canvas , 2)size:(W)500×(H)1750mm*3 3)packing size:6pcs/carton 1680*300*500mm



CY-H811

ABS Cabinet

One drawer Two shelves inside 4pcs Castors available packing size:480 X480 X 800mm




CY-H806

Four fold screen

1)Made of stainless steel ,canvas , 2)size:(W)500×(H)1750mm×43) packing size:4pcs/carton 1680*300*500mm





CY-H825A

Operation Stool



CY-H824

CY-H825



Operation Stool



CY-MP02

S.S Waste bin

Operation Stool with backrest



Patient Footrest



CY-MP03



S.S urinals





CY-H826

Patient Footrest



CY-MP04

SP-38

5°Castor

Auto Soap Dispenser







Tissue Dispenser



SP-36 5°Castor





SP-25

ABS Luxury siderail,4pcs/set



SP-26

ABS Luxury siderail 2pcs/set





